

bose 802c system controller manual



File Name: bose 802c system controller manual.pdf

Size: 2036 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 23 May 2019, 20:39 PM

Rating: 4.6/5 from 730 votes.

Status: AVAILABLE

Last checked: 2 Minutes ago!

In order to read or download bose 802c system controller manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with bose 802c system controller manual . To get started finding bose 802c system controller manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

bose 802c system controller manual

This manual will identify the different procedures, PCB layouts, and components where necessary. There is no difference in the operation or function between the original 802C and the 802C SMD units. Approval from the Field Service Manager is required before ordering. 2. The individual parts located on the PCB are listed in the Electrical Part List. This part is critical for safety purposes. Failure to use a substitute replacement with the same safety characteristics as the recommended replacement part might create shock, fire and or other hazards. However it is possible to convert a 110 Volt unit by replacing the transformer and a 220 Volt European unit. 1. 220 Volt to 110 Volt Conversion 2. 110 Volt to 220 Volt Conversion Note Conversions must be performed 2.1 Perform disassembly procedure 3, with the line cord disconnected from any. Lastmanuals provides you a fast and easy access to the user manual BOSE 802C II. We hope that this BOSE 802C II user guide will be useful to you. General Description. The Bose 802 Series II sound components provide a fully modular system designed for high quality reinforcement of voice and music. Bose 802 Series II loudspeakers work with the 802 C Series II systems controller for active equalization of the system. Bose Corporation, Framingham 01701, Mass, U. S. A. Made in Germany. Serial No. Figure 1. Beamwidth vs Frequency Bose 802II. The loudspeaker shall be provided with a ducted vent system, tuned at 55Hz. The loudspeaker enclosure of the 802 Series II loudspeaker shall be composed of micareinforced polyethylene copolymer structural foam. The loudspeaker system shall be supplied with a separate systems controller, to be connected before the inputs of the system power amplifiers. The fixed, 2channel systems controller shall provide active electronic equalization and crossover functions. It shall include an operating mode switch, input sensitivity switch, lowfrequency output level control, and mono sum switch. <http://www.fabulous-vintage.ro/files/computherm-manual-utilizare.xml>

- **bose 802c system controller manual, bose 802c ii system controller manual, bose 802c system controller service manual, bose 802c ii system controller service manual, bose 802c-ii system controller user manual, bose 802c system controller manual, bose 802c system controller manual, bose 802c system controller manual, bose 802c ii system controller manual.**

The systems controller shall use screwtype terminal strips for balanced input and output wiring connections. The electronic controller shall be the Bose 802 C Series II systems controller. Systems Controller Technical Information. The power handling capacity of. Product C E is compliant for EM C and Safety. Warranty Information. The Bose 802 Series II loudspeaker is covered by a 5year, transferable limited warranty. The Bose 802 C Series II systems controller is covered by a 2year, transferable limited warranty. Figure 3a. Figure 3b. In any way cant Lastmanuals be held responsible if the document you are looking for is not available, incomplete, in a different language than yours, or if the model or language do not match the description. Lastmanuals, for instance, does not offer a translation service. Page 3 SAFETY INFORMATION 1. Parts that have special safety characteristics are identified by the symbol on schematics or by special notes on the parts list. Use only replacement parts that have critical characteristics recommended by the manufacturer. 2. Make leakage current or resistance measurements to determine that exposed parts are acceptably insulated from the supply circuit before returning the unit to the customer. Use the following checks to perform these measurements A. Page 4 ELECTROSTATIC DISCHARGE SENSITIVE ESDS DEVICE HANDLING This unit contains ESDS devices. Handle boards by the edges only. Unbalanced input, 42k. The 802C system controller automatically selects the proper crossover function and

equalization curve for a given system application through use of a switching network operating in conjunction with the units output jacks. You must test all modes of the 802C to assure proper operation. Frequency 55Hz 750Hz 15kHz 1.2 Perform the test below to verify that the mode select operation is working properly. Approval from the Field Service Manager is required before ordering. 2. http://artoren.ru/files/computherm_manual.xml

The individual parts located on the PCB are listed in the Electrical Part List. 3. This part is critical for safety purposes. Failure to use a substitute replacement with the same safety characteristics as the recommended replacement part might create shock, fire and or other hazards. 4. RC4156 is to be used ONLY as a replacement for U5 and U6. However it is possible to convert a 110 Volt unit by replacing the transformer and a 220 Volt European unit. 1. 220 Volt to 110 Volt Conversion 2. 110 Volt to 220 Volt Conversion Note Conversions must be performed with the line cord disconnected from any power source. Refer to Figure 3 below for the following procedures. Discover everything Scribd has to offer, including books and audiobooks from major publishers. Browse Books Site Directory Site Language English Change Language English Change Language. Approval from the Field Service Manager is required before ordering. 2. The individual parts located on the PCB are listed in the Electrical Part List. 3. This part is critical for safety purposes. Refer to Figure 3 below for the following procedures. Manual for later version of the 802 but my older 802 Series IIs wire up pretty much the same way. It is inserted between the line out of a mixer and the line in of an amp. It is inserted between the line out of a mixer and the line in of an amp. I dont believe this is true. If you let us know the make and model of your mixer Im sure someone here will be able to find an answer for you. Dont run the 802s without the controller. This is what has given Bose speakers a bad reputation. Robert L You cant hook it up to the power amp outputs that would destroy it !!! If you can let us know what powered mixer you are using, we may be able to help. Hilmar On the EMX5000, you could use the controller. I can check that as soon as Yamahas manual repository comes up again, but I dont know when this will happen. Maybe you can check your own manual or mixer.

It wont harm the 802s to run without the controller, but it really will not sound very good. It works a lot better with controller. Hope that helps Hilmar Should easy to hook up. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Estimated delivery dates opens in a new window or tab include sellers dispatch time, and will depend on postal service selected. Delivery times may vary, especially during peak periods. Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab See the sellers listing for full details. Youre covered by the eBay Money Back Guarantee if you receive an item that is not as described in the listing. Find out more about your rights as a buyer opens in a new window or tab and exceptions opens in a new window or tab. Contact the seller opens in a new window or tab and request a postage method to your location. Please enter a valid postcode. Please enter a number less than or equal to 1. We may receive commission if your application for credit is successful. Terms and conditions apply. Subject to credit approval. We may receive commission if your application for credit is successful. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Be sure to check that it is the user manual to exactly the device that you are looking for. In our database Bose 802c it belongs to the category Network Card.

<http://www.drupalitalia.org/node/77147>

A user manual Bose 802c is taken from the manufacturer, a Bose company it is an official document, so if you have any doubts as to its contents, please contact the manufacturer of the device Bose 802c

directly. You can view the user manual Bose 802c directly online or save and store it on your computer. In addition to signal routing based on equalization require The front panel The 802C system controller retains the If you have any questions, you can ask them in the form below. Other users viewing this website will have the opportunity to help you solve your problem with Bose 802c. Remember that you can also share the solution. If you solved the problem yourself, please write the solution to the problem with Bose 802c you will surely help many users by doing so. Ask a question our users can help you. Something went wrong. View cart for details. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Please check your inbox, and if you can't find it, check your spam folder to make sure it didn't end up there. Please also check your spam folder. Use only replacement parts that have critical characteristics recommended by the manufacturer. Use the following checks to perform these measurements With the unit AC switch first in the ON position, then in the OFF position, measure from a known earth ground metal water pipe, conduit, etc. to all exposed metal parts of the unit antennas, handle bracket, metal cabinet, screwheads, metallic overlays, control shafts, etc., especially any exposed metal parts that offer an electrical return path to the chassis. Any current measured must not exceed 0.5 milliamp. Reverse the unit power cord plug in the outlet and repeat test. When the exposed metallic part has a return path to the chassis, the reading should be between 1 and 5.2 Megohms. When there is no return path to the chassis, the reading must be "infinite".

<http://icmonteodorisio.com/images/canvas-manual.pdf>

If it is not within the limits specified, there is the possibility of a shock hazard, and the unit must be repaired and rechecked before it is returned to the customer. We recommend the following precautions when repairing, replacing or transporting ESDS devices. Handle boards by the edges only. Do not insert unprotected devices into materials such as plastic, polystyrene foam, clear plastic bags, bubble wrap or plastic trays. In addition to signal routing based on equalization requirements, the switching network indicates mode of operation on its front panel. The front panel also includes highcut and lowcut switches which decrease line output by 4dB at 55Hz and by 10dB at 16kHz. Sharp subsonic and ultrasonic bandlimiting filters reduce power waste, stage noise, highfrequency instability, and interference. This manual will identify the different procedures, PCB layouts, and components where necessary. It starts by just going XLR into 1 amp and seeing if that works. Then jump directly into the other amp using the link out on the amp. See page 14 of the manual. Units with serial numbers beginning with 200000 are the new SMD 802Cs. Contents. Safety Information. 3. Electrostatic Discharge Sensitive ESDS Device Handling. 4. Specifications. 5. Technical Description. 6. Figure 1. Locking Tab Screw Location. 7. Figure 2. Original 802C PCB Exploded View. 8. Figure 3. SMD 802C PCB Exploded View. 8. Test Procedures. 9. Part List Notes. 11. Main Part List. 12. Figure 4. Main Parts Exploded View. 13. Electrical Part List. 14. Voltage Conversion Instructions. 18. Figure 5. Voltage Conversion Diagram. 18. Figure 6. Top Cover Connection Diagram. 19. By submitting a comment, you are declaring that you agree with these rules. Although the administrator will attempt to moderate comments, it is impossible for every comment to have been moderated at any given time.

<http://idc504.com/images/canyon-cnp-wf514-user-manual.pdf>

You acknowledge that all comments express the views and opinions of the original author and not those of the administrator. You agree not to post any material which is knowingly false, obscene, hateful, threatening, harassing or invasive of a person's privacy. The administrator has the right to edit, move or remove any comment for any reason and without notice. Failure to comply with these rules may result in being banned from further commenting. Controller in very good condition and sound great. Includes pole mounts, copy of The Bose 802 Series II sound components The 802 Series II loudspeaker The 802C Series II systems Sharp subsonic and ultrasonic The systems controller also provides two Interesting Review Even the Blue Angels were impressed. On the other Bose 802 pairs

with 2 Bose 502 subs, were able to perform an amazing Rich, sweet, strong vocals, I also have witnessed many unsatisfied users who discarded the true beauty of Never connect a graphic eq in the It makes all the difference. Not getting enough sound. Stack them! 234 high! No doubt Bose excels in vocal intelligibility. At a new worship facility grand opening, after much wrestling to get my design Naysayers just never heard an 802 set. Please contact them to ask about shipping. Controller in very good condition and sound great. Includes pole mounts, copy of The Bose 802 Series II sound components The 802 Series II loudspeaker The 802C Series II systems Sharp subsonic and ultrasonic The systems controller also provides two Interesting Review Even the Blue Angels were impressed. On the other Bose 802 pairs with 2 Bose 502 subs, were able to perform an amazing Rich, sweet, strong vocals, I also have witnessed many unsatisfied users who discarded the true beauty of Never connect a graphic eq in the It makes all the difference. Not getting enough sound. Stack them! 234 high! No doubt Bose excels in vocal intelligibility.

At a new worship facility grand opening, after much wrestling to get my design Naysayers just never heard an 802 set Please check the fields highlighted in red.Currency. Weve just launched a dedicated AudioMart in Russia, UK Audio Mart. For details please read this FAQ entry. Dr. Boses design was effective in reducing the hot spot that can cause feedback problems with live events and the EQ unit is an essential part of the speaker design, else the frequency response will be anything but flat. The Bose Controller equalizes the speakers for optimum sound quality, and also provides a flexible crossover. The 802C system controller automatically selects the proper crossover function and equalization curve for a given system application through use of a switching network operating in conjunction with the units output jacks. In addition to signal routing based on equalization requirements, the switching network indicates mode of operation on its front panel. The front panel also includes highcut and lowcut switches which decrease line output by 4dB at 55Hz and by10dB at 16kHz. Sharp subsonic and ultrasonic bandlimiting filters reduce power waste, stage noise, highfrequency instability, and interference. Unit has rack wear but is otherwise in ok condition no box so prefer local sale, could ship if buyer pays. For a better experience, please enable JavaScript in your browser before proceeding. It may not display this or other websites correctly. You should upgrade or use an alternative browser. I found this copy of a users manual for an 802c controller. On page 12 it shows how to connect the balanced output of the 802 c to an unbalanced input. Is it possible that you really want to run the OUTPUT from the Peavy into the 802c rather than the other way around It has 3 zones and is currently controlled It has 3 zones and is currently controlled We are working every day to make sure our community is one of the best.

famcareconnect.org/wp-content/plugins/formcraft/file-upload/server/content/files/1626d7d53b67ac--3m-gvp-papr-manual.pdf

By continuing to use this site you consent to the use of cookies on your device as described in our cookie policy unless you have disabled them. By chatting and providing personal info, you understand and agree to our Terms of Service and Privacy Policy. Home TheaterStereo Home theater questions. Im sorry youre having problems. If theres no output through the Bose Controller then this indicates an internal hardware failure which can be caused by failing amplifier ICs, among other things. There isnt a quick fix for this without a service manual, a scope, access to Bose parts and excellent soldering abilities. For the best possible service, please have your product nearby when you call. Before you go, PLEASE DO click at least a 3 STAR RATING, at the top of your screen. That is how I am credited for my efforts by the site. You can follow up any time as needed at no additional cost. Owner of AV Installation, OEM and Repair company Verified Aric and 87 other Home TheaterStereo Specialists are ready to help you Ask your own question now Was this answer helpful. Only problem is that I cannot figure out a way to connect my BOSE Lifestyle 135 System to those speakers. Our sound just Does a Bose Lifestyle 28 have a fuse. Our sound just stopped. We just got a new Sharp tv and Bose Cinemate but cant get the denon connected to the Bose. Now all it does with

any button is squeal at that high pitch. The cd player has 2 cds stuck and I cannot get them to eject. I have a Bose Wave Radio which worked well for three years. The disks work fine in other disk drives. It My Wave Music System Model AWRC1 is not working properly. It looks correct on screen, hand held control works, but no sound comes from it. Posts are for general information, are not intended to substitute for informed professional advice medical, legal, veterinary, financial, etc., or to establish a professional client relationship.

JustAnswer is not intended or designed for EMERGENCY questions which should be directed immediately by telephone or in person to qualified professionals. JustAnswer in the News Ask a Doc Web sites If you've got a quick question, you can try to get an answer from sites that say they have various specialists on hand to give quick answers. JustAnswer.com. JustAnswer.com has seen a spike since October in legal questions from readers about layoffs, unemployment and severance. Traffic on JustAnswer rose 14 percent and had nearly 400,000 page views in 30 days. Inquiries related to stress, high blood pressure, drinking and heart pain jumped 33 percent. Tory Johnson, GMA Workplace Contributor, discusses work-from-home jobs, such as JustAnswer in which verified Experts answer people's questions. I will tell you that the things you have to go through to be an Expert are quite rigorous. What Customers are Saying Wonderful service, prompt, efficient, and accurate. Couldn't have asked for more. I cannot thank you enough for your help. Mary C. Freshfield, Liverpool, UK This expert is wonderful. They truly know what they are talking about, and they actually care about you. They really helped put my nerves at ease. Thank you so much!!!! Alex Los Angeles, CA Thank you for all your help. It is nice to know that this service is here for people like myself, who need answers fast and are not sure who to consult. GP Hesperia, CA I couldn't be more satisfied. This is the site I will always come to when I need a second opinion. Justin Kernersville, NC Just let me say that this encounter has been entirely professional and most helpful. I liked that I could ask additional questions and get answered in a very short turn around. Esther Woodstock, NY Thank you so much for taking your time and knowledge to support my concerns. Not only did you answer my questions, you even took it a step further with replying with more pertinent information I needed to know.

Robin Elkton, Maryland He answered my question promptly and gave me accurate, detailed information. If all of your experts are half as good, you have a great thing going here. LOAJ3256 Technician 497 satisfied customers 35 years in Home Theater and Systems Integrator, Senior Neil Engineer 23 satisfied customers Electronics engineer with 25 years of experience. Posts are for general information, are not intended to substitute for informed professional advice medical, legal, veterinary, financial, etc., or to establish a professional client relationship. JustAnswer is not intended or designed for EMERGENCY questions which should be directed immediately by telephone or in person to qualified professionals. Show More Show Less How it works Login Contact Us Ask Your Question Send It. All Rights Reserved. All trademarked names, logos, and brands are property of their respective owners. All company, product and service names used in this website are for identification purposes only. Their use does not imply endorsement by any brand unless expressly stated. Please try again. Please try again. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Register a free business account Please try your search again later. Amazon calculates a product's star ratings based on a machine learned model instead of a raw data average. The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers, and factors that establish reviewer trustworthiness. Please try again. Register a free business account Exclusive access to cleaning, safety, and health supplies. Create a free business account to purchase Please try your search again later. You can edit your question or post anyway. Amazon calculates a product's star ratings using a machine learned model instead of a raw data average.

The machine learned model takes into account factors including the age of a review, helpfulness

votes by customers and whether the reviews are from verified purchases.

<http://www.drupalitalia.org/node/77148>